



TMZ 150 M Industrial Scale 260583



Product codes:

Reference: 260583

EAN13: -

UPC: -



Product description:

FEATURES:

- Tubular structure platform made of painted steel, with a stainless steel plate and stainless steel column.
- Aluminum cell with IP65 protection.
- 649mm column with painted steel mounting base (model P447 mm).
- 4 adjustable feet with a height increase of up to 13 mm.
- Length of cable platform-display: 1200 mm (up to 1370 mm, depending on model).
- Indicator in ABS, model BR15.
- IP54 protection.
- Waterproof keyboard with 5 function keys and power on/off keys.
- Backlit LCD display with 6 digits of 30 mm.
- Display backlighting with three modes: automatic, activated, and deactivated.
- ABS support for column.



-
- Includes wall anchoring holes.
 - Operating temperature: -10°C to $+40^{\circ}\text{C}$.
 - Power supply from the mains with AC/DC adapter 240Vac 50Hz.
 - Rechargeable battery 6V/4Ah.
 - Battery life with backlighting activated: approximately 120 hours.
 - Battery life with backlighting deactivated: approximately 160 hours.
 - Configurable gravity.
 - Unit 1 selectable between off, kg, t, and g; Unit 2 selectable between off, lb, and oz; Unit 3 selectable between off, Taiwan Jin, CA or VISS.
 - RS232 output. Data transmission in PC and printer format.
 - Unit range / Multi range / Multi interval.
 - Automatic disconnection (with desired time setting from 1 to 99 minutes).

FUNCTIONS:

- Accumulation
- Totalization
- Piece counting
- Zero
- Four hold modes: off, moving animal, peak value, stable, and stable with auto zero cancellation
- Weight and piece control (limit function) with visual signal and alarm
- Three speeds of the AD converter (high, medium, and low)
- Configurable gravity
- Gross/Net
- Tare

Product features:

Plate dimensions (mm): 500x400

Capacity (kg): 150 kg

Weight fraction (g): 20 g

Verification: No

Weighing: Floor Scale

Product short description:



Shop name



PCS



CHECK



MOVE



RS232



RS232



BAT INT



AC/DC



IP54



NO VERIF

Product gallery:

