

# TMZ 150 G 260582 Industrial Scale



#### **Product codes:**

Reference: 260582

EAN13: -UPC: -

## **Product description:**

#### **FEATURES:**

- Tubular structure platform made of painted steel, with a stainless steel plate and stainless steel column.
- Aluminum cell with IP65 protection.
- Column of 649mm with painted steel mounting base (model P447 mm).
- 4 adjustable feet in height up to an increase of 13 mm.
- Length of the platform-monitor cable: 1200 mm (up to 1370 mm, depending on model).
- ABS indicator, model BR15.
- IP54 protection.
- Waterproof keyboard with 5 function keys and on/off keys.
- Backlit LCD display with 6 digits of 30 mm.
- Display backlighting with three modes: automatic, activated, and deactivated.
- ABS support for column.
- Includes wall mounting holes.
- Operating temperature: -10°C +40°C.
- Power supply with AC/DC adapter 240Vac 50Hz.
- Rechargeable battery 6V/4Ah.
- Battery duration with backlighting activated: approximately 120 hours.



- Battery duration with backlighting deactivated: approximately 160 hours.
- Configurable gravity.
- Unit 1 selectable between off, kg, t, and g: Unit 2 selectable between off, lb, and lboz; Unit 3 selectable between off, Taiwan Jin, CA, or VISS.
- RS232 output. Data transmission in PC and printer format.
- Unit range / Multi range / Multi interval.
- Automatic auto disconnection (with desired time setting from 1 to 99 minutes).

#### **FUNCTIONS:**

- Accumulation
- Totalization
- Piece counting
- Zero
- Four hold modes: off, moving animal, peak value, stable, and stable with automatic cancellation to zero
- Weight and piece control (limit function) with visual signal and alarm
- Three speeds of the AD converter (high, medium, and low)
- Configurable gravity
- Gross/Net
- Tare

#### **Product features:**

Plate dimensions (mm): 600x500

Capacity (kg): 150 kg Weight fraction (g): 20 g

Verification: No

Weighing: Floor Scale

### **Product short description:**





















## Product gallery:



