

# Single gas fryer GF912 monoblock



#### **Product codes:**

Reference: 9015A

EAN13: -UPC: -

## **Product description:**

### Main features:

#### • Construction:

- Body and monoblock tank made of stainless steel, durable and easy to clean.
- Designed for a capacity of 20 liters, with a robust and long-lasting design.

#### Baskets:

 Equipped with 2 stainless steel baskets with a suspension mechanism for draining oil after frying.

#### • Control:

- Adjustable thermostat for precise temperature regulation.
- Integrated safety thermostat to prevent overheating.

#### Maintenance:

Drain valve for comfortable and safe oil disposal.

## Gas compatibility:

- Factory configured for natural gas (NG).
- Compatible with propane/butane (LPG).
- Gas consumption:



NG: 1.58 m³/h.
LPG: 1.18 kg/h.

# **Technical specifications:**

Power: 15 kW.Capacity: 20 liters.

• **Dimensions:** 425x900x900 mm.

Weight: 62 kg.
Volume: 0.51 m³.

CE Certification: Complies with European quality and safety standards.

#### **Product features:**

Fund: 900mm

Power Watts: 15000W Type: Con mueble

Number of Breasts: 1 sine

Capacity Liters per Tank: 20 Liters

Measure: Heat: Fryers

Gas-Electric-Induction-Oil: Gas

Series: 900

# **Product short description:**

Medium-capacity gas fryer, ideal for professional kitchens seeking high efficiency, safety, and easy maintenance.

## **Product gallery:**







