

Refrigerated display cabinet SC-390



Product codes:

Reference: 3117

EAN13: -UPC: -

Product description:

Material and design

- Exterior in galvanized steel coated with EPOXY
- Injected polyurethane insulation free of CFCs
- Double glass door with low-E film
- · Mechanical thermostat



- Digital thermometer
- 5 height-adjustable shelves
- Interior LED lighting
- Manual evaporation of defrost water
- Ventilated cooling system

Included equipment

- 5 adjustable shelves
- Interior LED lighting

Technical specifications

• Model: SC-390

• **Reference**: 3117

• Capacity: 380 liters

• Operating temperature: 0°C to +10°C

• Power: 155 W

Voltage: 230 V – 50 Hz

• Refrigerant: R600a

Cooling type: Ventilated

• **Dimensions (mm):** 595 x 618 x 1870

• Weight: 64 kg

Additional features

- Durable exterior in galvanized steel with EPOXY coating
- Eco-friendly CFC-free insulation
- Double glass door with low-E film for maximum energy efficiency
- User-friendly mechanical thermostat
- Ventilated cooling ensures even temperature distribution
- Low-consumption interior LED lighting
- Height-adjustable shelves for greater storage flexibility
- Manual defrost water evaporation system



Product features:

Power Supply Voltage: 220-240V 50Hz

Power Watts: 155W

Refrigerant Gas: R600a Gas Compressor

Temperature Range: 0°C to +10°C

Measure: 600x624x1863 mm

Door: Glass

Number of doors: 1

Cold: Refrigerador 1 Puerta

Type of Door: Folding Controller: Digital

Cold Hot Neutral: Cooling

Product short description:

Display cabinet **SC-390**, ideal for the preservation and display of refrigerated products in commercial and hospitality environments.

Made with high-quality materials, with double glass door and ventilated cooling for maintaining a uniform and efficient temperature. Robust and practical design with adjustable shelves for better space organization.

Product gallery:



