

Gastronorm refrigerated cabinet 2/1 ARG-1402 2 doors



Product codes:

Reference: 1002

EAN13: -UPC: -

Product description:

- Fully injected compact structure with exterior panels in stainless steel.
- Interior body in stainless steel.
- Doors with integrated handle in stainless steel.
- Interior with curved joints for easier cleaning.
- Doors equipped with hinges with an automatic return system and opening fixation.
- The door frames incorporate heating systems to prevent ice accumulation.
- Zipper system for shelf support and adjustment.
- Height-adjustable stainless steel feet.
- Stainless steel rear doors.
- Hermetic condensing unit with ventilated condenser.
- Eco-friendly refrigerant free of CFCs.
- Automatic evaporation of defrost water.
- Injected polyurethane insulation, free of CFCs, with a density of 40 Kg/m3.
- Electronic control of temperature and defrosting with digital display.
- Operating temperature at 38°C ambient temperature.



DOORS

- The doors feature an ergonomic handle for comfortable use and a replaceable seal.
- Automatic closing system with an opening angle greater than 90°, allowing for significant energy savings.
- The doors of our cabinets are reversible.

SHELVES

- Height adjustable.
- Stainless steel guide for shelf support.
- Shelf provision: 3 plastic-coated racks per body, removable for cleaning.

Product features:

Power Supply Voltage: 220-240V 50Hz

Power Watts: 704W

Capacity Liters: 967 liters Capacity Liters: 1400 Liters

Refrigerant Gas: R600a Gas Compressor

Temperature Range: +2°C / +8°C Measure: 1388x846x2007mm

Door: Opaque

Number of doors: 2

Cold: Refrigerador 1 Puerta

Type of Door: Folding Controller: Digital

Specials: For Generalized Use Specials: With Gastronorm Cold Hot Neutral: Cooling

Product short description:

Refrigerated cabinet constructed in stainless steel, with gastronorm dimensions. Available in various models.

Product gallery:



















ARG-1603

ARG-16