

Industrial Scale TMN 300 M 260664



Product codes:

Reference: 260664

EAN13: -UPC: -

Product description:

FEATURES:

- Tubular structure platform in painted steel, with a stainless steel plate and stainless steel column.
- Aluminum cell with IP65 protection.
- Column with painted steel base for fixing (model P447 mm).
- 4 adjustable feet in height up to an increase of 13 mm.
- Platform-display cable length: 1200 mm (up to 1370 mm, depending on model).
- CE certification.
- Approval for 3000 divisions OIML class III.
- Indicator in ABS, model BR16.
- IP54 protection.
- Waterproof keyboard with 6 function keys and on/off keys.
- Large backlit LCD screen with 6 digits of 40 mm.



- Display backlighting with three modes: automatic, activated, and deactivated.
- ABS support for the column.
- Includes wall mounting holes.
- Operating temperature: -10°C +40°C.
- AC power supply with AC/DC adapter 240Vac 50Hz.
- Rechargeable battery 6V/4Ah.
- Battery life with backlighting activated: approx. 80 hours.
- Battery life with backlighting deactivated: approx. 320 hours.
- Units kg or t or g (to be chosen at the time of order).
- Single range/Multi range (to be chosen at the time of order).
- Automatic disconnection (with desired time setting from 1 to 99 minutes).

FUNCTIONS:

- Accumulation (Only outside of legal metrology)
- Totalization
- Piece counting
- Zero
- Four hold modes: off, moving animal, peak value, stable, and stable with auto zero cancelation
- Weight and piece control (limit function) with visual signal and alarm
- Three speeds of the AD converter (high, medium, and low)
- Configurable gravity (without legal metrology)
- Gross/Net
- Tare

Product features:

Plate dimensions (mm): 400x500

Capacity (kg): 300 kg Weight fraction (g): 100 g

Verification: Yes

Weighing: Floor Scale

Product short description:



Product gallery:



