

TMZ 150 P Industrial Scale 260584



Product codes:

Reference: 260584

EAN13: -UPC: -

Product description:

FEATURES:

- Tubular structure platform made of painted steel, with a stainless steel plate and stainless steel column.
- Aluminum cell with IP65 protection.
- Column of 649mm with a painted steel mounting base (model P447 mm).
- 4 adjustable feet in height up to an increase of 13 mm.
- Length of cable platform-display: 1200 mm (up to 1370 mm, depending on model).
- Indicator in ABS, model BR15.
- Protection IP54.
- Waterproof keyboard with 5 function keys and on/off keys.
- Backlit LCD screen with 6 digits of 30 mm.
- Display backlighting with three modes: automatic, activated, and deactivated.
- ABS support for column.
- Includes wall anchoring holes.
- Operating temperature: -10°C +40°C.
- Power supply with AC/DC adapter 240Vac 50Hz.
- Rechargeable battery 6V/4Ah.
- Battery life with backlighting activated: approximately 120 hours.



- Battery life with backlighting deactivated: approximately 160 hours.
- Configurable gravity
- Unit 1 selectable between off, kg, t, and g: Unit 2 selectable between off, lb, lboz; Unit 3 selectable between off, Taiwan Jin, CA or VISS.
- RS232 output. Data transmission in PC and printer format.
- Unit range / Multi-range / Multi-interval.
- Automatic auto-disconnection (with desired time configuration from 1 to 99 minutes).

FUNCTIONS:

- Accumulation
- Totalization
- Piece counting
- Zero
- Four hold modes: off, moving animal, peak value, stable, and stable with auto cancellation to zero
- Weight and piece control (limit function) with visual signal and alarm
- Three speeds of the AD converter (high, medium, and low)
- Configurable gravity
- Gross/Net
- Tare

Product features:

Plate dimensions (mm): 450x350

Capacity (kg): 150 kg Weight fraction (g): 20 g

Verification: No

Weighing: Floor Scale

Product short description:



Product gallery:



