



VED-8-15-C 1500 Curved Glass Display Case with Black Front



Product codes:

Reference: VED-8-15-C

EAN13: -

UPC: -

Product description:

Showcase with a black finish, please inquire about lead times for other colors and models.

- Exterior and interior made of pre-painted steel sheet
 - Display surface and evaporator protection in epoxy-finished sheet
 - 40 mm sides in injected polystyrene
 - Top surface in stainless steel
 - Framing in lacquered aluminum
 - Intermediate glass shelf, optional
 - Tempered and hinged front glass, two versions available
 - Standard LED lighting: upper top surface
 - Injected polyurethane insulation, density 40 Kg/m³, low GWP and zero ODP effect
 - Refrigerated storage with doors, opening 440x270
 - Static evaporator
 - Ventilated condensation
 - Electronic temperature control
 - Temperature indicator
 - Automatic defrost
 - Climate class 4 (30°C 55%*Hr*) M1 regime according to UNE-EN ISO 23953-2
 - Chassis in epoxy-finished steel
 - Automatic evaporation included as standard
-



Modelo	➔ Largo (mm)	↑ Alto (mm)	↗ Fondo (mm)	↖ Superficie de Exposición (m²)	□ Superficie Total de Exposición (TDA)(m²)	➔ Cámara VE	Puertas (Uds)	❄ Potencia Frigorífica (W)	⚡ Consumo Nominal (W)	Refrigerante Refrigerante
VED-8-10	1055	1235	800	0,47	0,48	0,28	1	493	815	R-290
VED-8-13	1305	1235	800	0,59	0,6	0,37	2	583	898	R-290
VED-8-15	1525	1235	800	0,70	0,72	0,43	2	796	1013	R-290
VED-8-20	2025	1235	800	0,94	0,96	0,57	3	1098	1220	R-290
VED-8-25	2525	1235	800	1,19	1,21	0,72	4	1312	1258	R-290

       									
Modelo Model Modèle	Largo Length Longueur	Superficie de exposición Display Surface d'exposition	Superficie total de exposición (TDA) Total display area Surface totale de l'exposition		Cámara Storage Stockage	Puertas Doors Portes	Potencia frigorífica Cooling capacity Puissance frigorifique	Consumo Nominal Nominal Power Consommation Nominale	Refrigerante Coolant Réfrigérant
	(mm)	(m²)	R	C	(m³)	(Uds)	(W)	(W)	
VED-8-10	1055	0,47	0,48	0,48	0,28	1	493	815	R-290
VED-8-13	1305	0,59	0,60	0,60	0,37	2	583	898	R-290
VED-8-15	1525	0,70	0,72	0,71	0,43	2	796	1013	R-290
VED-8-20	2025	0,94	0,96	0,95	0,57	3	1098	1220	R-290
VED-8-25	2525	1,19	1,21	1,20	0,72	4	1312	1258	R-290

Product features:

Power Supply Voltage: 220-240V 50Hz
Refrigerant Gas: R290 Gas Compressor
Temperature Range: +2°C / +12°C
Measure: 1525x1235x800mm
Door: Glass
Number of doors: 2
Cold: Refrigerated Showcase
Type of Door: Sliding
Controller: Digital
Cold Hot Neutral: Cooling

Product short description:

Product gallery:



Shop name

